

Section 3: V10 / NCS Forms

Medication Survey: FORM CODE=MSR VERSION=0300

Instructions: This form obtains information on medication usage by participant.

| <i>Vers</i> | | <i>Vers</i> |
|-------------|--------------|--------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1633 | 0300 | |
| 15 | | Missing |

| <i>VISIT</i> | | <i>VISIT</i> |
|--------------|--------------|--------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1648 | V10 | |

| <i>Occurrence</i> | | <i>Occurrence</i> |
|-------------------|--------------|--------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1633 | 1 | |
| 15 | | Missing |

| <i>MSR0b</i> | | <i>Staff ID</i> |
|--------------|--------------|--------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1632 | Present | Text suppressed |
| 16 | | Missing |

| <i>MSR1</i> | | <i>Were medications brought to interview</i> |
|-------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 28 | N | N=No, none of them |
| 16 | S | S=No, some of them |
| 1588 | Y | Y=Yes, all of them |
| 16 | | Missing |

| <i>MSR2</i> | | <i>Reason for not bringing medications</i> |
|-------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 19 | F | F=Forgot or was unable to bring medication |
| 9 | T | T=Took no medication |
| 1604 | ~ | Legitimately skipped |
| 16 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR3</i> | | <i>Follow up allowed</i> |
|-------------|--------------|--------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 4 | N | N=No or not applicable |
| 31 | Y | Y=Yes |
| 1597 | ~ | Legitimately skipped |
| 16 | | Missing |

| <i>MSR5a</i> | | <i>Med 1: Scanned UPC med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1586 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 34 | | Missing |

| <i>MSR5b</i> | | <i>Med 1: Not scanned med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 13 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1607 | | Missing |

| <i>MSR5c</i> | | <i>Med 1: Not scanned strength</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 13 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1607 | | Missing |

| <i>MSR5d</i> | | <i>Med 1: Not scanned units</i> |
|--------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 13 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1607 | | Missing |

| <i>MSR6a</i> | | <i>Med 2: Scanned UPC med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1569 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 51 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR6b</i> | | <i>Med 2: Not scanned med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 19 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1601 | | Missing |

| <i>MSR6c</i> | | <i>Med 2: Not scanned strength</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 18 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1602 | | Missing |

| <i>MSR6d</i> | | <i>Med 2: Not scanned units</i> |
|--------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 18 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1602 | | Missing |

| <i>MSR7a</i> | | <i>Med 3: Scanned UPC med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1540 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 80 | | Missing |

| <i>MSR7b</i> | | <i>Med 3: Not scanned med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 22 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1598 | | Missing |

| <i>MSR7c</i> | | <i>Med 3: Not scanned strength</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1600 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR7d</i> | | <i>Med 3: Not scanned units</i> |
|--------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1600 | | Missing |

| <i>MSR8a</i> | | <i>Med 4: Scanned UPC med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1495 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 125 | | Missing |

| <i>MSR8b</i> | | <i>Med 4: Not scanned med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 21 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1599 | | Missing |

| <i>MSR8c</i> | | <i>Med 4: Not scanned strength</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 21 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1599 | | Missing |

| <i>MSR8d</i> | | <i>Med 4: Not scanned units</i> |
|--------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 21 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1599 | | Missing |

| <i>MSR9a</i> | | <i>Med 5: Scanned UPC med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1411 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 209 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR9b</i> | | <i>Med 5: Not scanned med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 37 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1583 | | Missing |

| <i>MSR9c</i> | | <i>Med 5: Not scanned strength</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1587 | | Missing |

| <i>MSR9d</i> | | <i>Med 5: Not scanned units</i> |
|--------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1587 | | Missing |

| <i>MSR10a</i> | | <i>Med 6: Scanned UPC med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1291 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 329 | | Missing |

| <i>MSR10b</i> | | <i>Med 6: Not scanned med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1587 | | Missing |

| <i>MSR10c</i> | | <i>Med 6: Not scanned strength</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 28 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1592 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR10d</i> | | <i>Med 6: Not scanned units</i> |
|---------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 28 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1592 | | Missing |

| <i>MSR11a</i> | | <i>Med 7: Scanned UPC med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1206 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 414 | | Missing |

| <i>MSR11b</i> | | <i>Med 7: Not scanned med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1597 | | Missing |

| <i>MSR11c</i> | | <i>Med 7: Not scanned strength</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 15 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1605 | | Missing |

| <i>MSR11d</i> | | <i>Med 7: Not scanned units</i> |
|---------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 15 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1605 | | Missing |

| <i>MSR12a</i> | | <i>Med 8: Scanned UPC med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1081 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 539 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR12b</i> | | <i>Med 8: Not scanned med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 21 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1599 | | Missing |

| <i>MSR12c</i> | | <i>Med 8: Not scanned strength</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 16 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1604 | | Missing |

| <i>MSR12d</i> | | <i>Med 8: Not scanned units</i> |
|---------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 16 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1604 | | Missing |

| <i>MSR13a</i> | | <i>Med 9: Scanned UPC med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 928 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 692 | | Missing |

| <i>MSR13b</i> | | <i>Med 9: Not scanned med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1587 | | Missing |

| <i>MSR13c</i> | | <i>Med 9: Not scanned strength</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 25 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1595 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR13d</i> | | <i>Med 9: Not scanned units</i> |
|---------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 25 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1595 | | Missing |

| <i>MSR14a</i> | | <i>Med 10: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 794 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 826 | | Missing |

| <i>MSR14b</i> | | <i>Med 10: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 31 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1589 | | Missing |

| <i>MSR14c</i> | | <i>Med 10: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1600 | | Missing |

| <i>MSR14d</i> | | <i>Med 10: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1600 | | Missing |

| <i>MSR15a</i> | | <i>Med 11: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 687 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 933 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR15b</i> | | <i>Med 11: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1597 | | Missing |

| <i>MSR15c</i> | | <i>Med 11: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 18 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1602 | | Missing |

| <i>MSR15d</i> | | <i>Med 11: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 18 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1602 | | Missing |

| <i>MSR16a</i> | | <i>Med 12: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 566 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1054 | | Missing |

| <i>MSR16b</i> | | <i>Med 12: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1597 | | Missing |

| <i>MSR16c</i> | | <i>Med 12: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 15 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1605 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR16d</i> | | <i>Med 12: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 15 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1605 | | Missing |

| <i>MSR17a</i> | | <i>Med 13: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 447 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1173 | | Missing |

| <i>MSR17b</i> | | <i>Med 13: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 14 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1606 | | Missing |

| <i>MSR17c</i> | | <i>Med 13: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 10 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1610 | | Missing |

| <i>MSR17d</i> | | <i>Med 13: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 10 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1610 | | Missing |

| <i>MSR18a</i> | | <i>Med 14: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 343 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1277 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR18b</i> | | <i>Med 14: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1597 | | Missing |

| <i>MSR18c</i> | | <i>Med 14: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 19 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1601 | | Missing |

| <i>MSR18d</i> | | <i>Med 14: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 19 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1601 | | Missing |

| <i>MSR19a</i> | | <i>Med 15: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 284 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1336 | | Missing |

| <i>MSR19b</i> | | <i>Med 15: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 12 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1608 | | Missing |

| <i>MSR19c</i> | | <i>Med 15: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 9 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1611 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR19d</i> | | <i>Med 15: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 9 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1611 | | Missing |

| <i>MSR20a</i> | | <i>Med 16: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 219 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1401 | | Missing |

| <i>MSR20b</i> | | <i>Med 16: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 10 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1610 | | Missing |

| <i>MSR20c</i> | | <i>Med 16: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 6 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1614 | | Missing |

| <i>MSR20d</i> | | <i>Med 16: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 6 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1614 | | Missing |

| <i>MSR21a</i> | | <i>Med 17: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 174 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1446 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR21b</i> | | <i>Med 17: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 6 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1614 | | Missing |

| <i>MSR21c</i> | | <i>Med 17: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1618 | | Missing |

| <i>MSR21d</i> | | <i>Med 17: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1618 | | Missing |

| <i>MSR22a</i> | | <i>Med 18: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 138 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1482 | | Missing |

| <i>MSR22b</i> | | <i>Med 18: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 4 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1616 | | Missing |

| <i>MSR22c</i> | | <i>Med 18: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 4 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1616 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR22d</i> | | <i>Med 18: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 4 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1616 | | Missing |

| <i>MSR23a</i> | | <i>Med 19: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 104 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1516 | | Missing |

| <i>MSR23b</i> | | <i>Med 19: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 7 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1613 | | Missing |

| <i>MSR23c</i> | | <i>Med 19: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 6 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1614 | | Missing |

| <i>MSR23d</i> | | <i>Med 19: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 6 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1614 | | Missing |

| <i>MSR24a</i> | | <i>Med 20: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 79 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1541 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR24b</i> | | <i>Med 20: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 5 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1615 | | Missing |

| <i>MSR24c</i> | | <i>Med 20: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 5 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1615 | | Missing |

| <i>MSR24d</i> | | <i>Med 20: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 5 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1615 | | Missing |

| <i>MSR25a</i> | | <i>Med 21: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 62 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1558 | | Missing |

| <i>MSR25b</i> | | <i>Med 21: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1617 | | Missing |

| <i>MSR25c</i> | | <i>Med 21: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1619 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR25d</i> | | <i>Med 21: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1619 | | Missing |

| <i>MSR26a</i> | | <i>Med 22: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 47 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1573 | | Missing |

| <i>MSR26b</i> | | <i>Med 22: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 4 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1616 | | Missing |

| <i>MSR26c</i> | | <i>Med 22: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1617 | | Missing |

| <i>MSR26d</i> | | <i>Med 22: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1617 | | Missing |

| <i>MSR27a</i> | | <i>Med 23: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1587 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR27b</i> | | <i>Med 23: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1619 | | Missing |

| <i>MSR27c</i> | | <i>Med 23: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1619 | | Missing |

| <i>MSR27d</i> | | <i>Med 23: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1619 | | Missing |

| <i>MSR28a</i> | | <i>Med 24: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1597 | | Missing |

| <i>MSR28b</i> | | <i>Med 24: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1619 | | Missing |

| <i>MSR28c</i> | | <i>Med 24: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 28 | ~ | Legitimately skipped |
| 1620 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR28d</i> | | <i>Med 24: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 28 | ~ | Legitimately skipped |
| 1620 | | Missing |

| <i>MSR29a</i> | | <i>Med 25: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1600 | | Missing |

| <i>MSR29b</i> | | <i>Med 25: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 1619 | | Missing |

| <i>MSR29c</i> | | <i>Med 25: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 28 | ~ | Legitimately skipped |
| 1620 | | Missing |

| <i>MSR29d</i> | | <i>Med 25: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 28 | ~ | Legitimately skipped |
| 1620 | | Missing |

| <i>MSR30</i> | | <i>Total number of medications</i> |
|--------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1601 | Range | 1 - 38 (median=10 mean=10.3 std=5.0) |
| 28 | .S | Legitimately skipped |
| 19 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR31</i> | | <i>Number of medications unable to scan/transcribe</i> |
|--------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1601 | Range | 0 - 25 (median=0 mean=0.1 std=1.3) |
| 28 | .S | Legitimately skipped |
| 19 | | Missing |

| <i>MSR32a</i> | | <i>Scanner/transcriber</i> |
|---------------|--------------|----------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1601 | Present | Text suppressed |
| 28 | ~ | Legitimately skipped |
| 19 | | Missing |

| <i>MSR33a</i> | | <i>Medication taken for asthma</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1490 | N | N=No |
| 15 | U | U=Unknown |
| 108 | Y | Y=Yes |
| 9 | ~ | Legitimately skipped |
| 26 | | Missing |

| <i>MSR33b</i> | | <i>Medication taken for chronic bronchitis or emphysema</i> |
|---------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1546 | N | N=No |
| 17 | U | U=Unknown |
| 50 | Y | Y=Yes |
| 9 | ~ | Legitimately skipped |
| 26 | | Missing |

| <i>MSR33c</i> | | <i>Medication taken for high blood sugar or diabetes</i> |
|---------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1283 | N | N=No |
| 14 | U | U=Unknown |
| 317 | Y | Y=Yes |
| 9 | ~ | Legitimately skipped |
| 25 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR33d</i> | | <i>Medication taken for high blood pressure or hypertension</i> |
|---------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 437 | N | N=No |
| 33 | U | U=Unknown |
| 1143 | Y | Y=Yes |
| 9 | ~ | Legitimately skipped |
| 26 | | Missing |

| <i>MSR33e</i> | | <i>Medication taken for high blood cholesterol</i> |
|---------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 711 | N | N=No |
| 68 | U | U=Unknown |
| 833 | Y | Y=Yes |
| 9 | ~ | Legitimately skipped |
| 27 | | Missing |

| <i>MSR33f</i> | | <i>Medication taken for chest pain or angina</i> |
|---------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1523 | N | N=No |
| 19 | U | U=Unknown |
| 70 | Y | Y=Yes |
| 9 | ~ | Legitimately skipped |
| 27 | | Missing |

| <i>MSR33g</i> | | <i>Medication taken for abnormal heart rhythm</i> |
|---------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1289 | N | N=No |
| 55 | U | U=Unknown |
| 268 | Y | Y=Yes |
| 9 | ~ | Legitimately skipped |
| 27 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR33h</i> | | <i>Medication taken for heart failure</i> |
|---------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1503 | N | N=No |
| 38 | U | U=Unknown |
| 71 | Y | Y=Yes |
| 9 | ~ | Legitimately skipped |
| 27 | | Missing |

| <i>MSR33i</i> | | <i>Medication taken for blood thinning</i> |
|---------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 939 | N | N=No |
| 32 | U | U=Unknown |
| 641 | Y | Y=Yes |
| 9 | ~ | Legitimately skipped |
| 27 | | Missing |

| <i>MSR33j</i> | | <i>Medication taken for stroke</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1515 | N | N=No |
| 27 | U | U=Unknown |
| 70 | Y | Y=Yes |
| 9 | ~ | Legitimately skipped |
| 27 | | Missing |

| <i>MSR33k</i> | | <i>Medication taken for mini-stroke or TIA</i> |
|---------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1545 | N | N=No |
| 30 | U | U=Unknown |
| 37 | Y | Y=Yes |
| 9 | ~ | Legitimately skipped |
| 27 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR33I</i> | | <i>Medication taken for leg pain while walking or claudication</i> |
|---------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1445 | N | N=No |
| 21 | U | U=Unknown |
| 146 | Y | Y=Yes |
| 9 | ~ | Legitimately skipped |
| 27 | | Missing |

| <i>MSR5a_gpi</i> | | <i>Med 1: Scanned UPC med name: gpi</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1573 | Present | Text suppressed |
| 75 | | Missing |

| <i>MSR5a_components</i> | | <i>Med 1: Scanned UPC med name: components</i> |
|-------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1573 | Present | Text suppressed |
| 75 | | Missing |

| <i>MSR5a_cas</i> | | <i>Med 1: Scanned UPC med name: cas</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1573 | null | |
| 75 | | Missing |

| <i>MSR5a_display_name</i> | | <i>Med 1: Scanned UPC med name: display_name</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1573 | Present | Text suppressed |
| 75 | | Missing |

| <i>MSR5a_vendor</i> | | <i>Med 1: Scanned UPC med name: vendor</i> |
|---------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1573 | Present | Text suppressed |
| 75 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR5a_name</i> | | <i>Med 1: Scanned UPC med name: name</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1573 | Present | Text suppressed |
| 75 | | Missing |

| <i>MSR5a_description</i> | | <i>Med 1: Scanned UPC med name: description</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1573 | Present | Text suppressed |
| 75 | | Missing |

| <i>MSR5a_ndc</i> | | <i>Med 1: Scanned UPC med name: ndc</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1573 | Present | Text suppressed |
| 75 | | Missing |

| <i>MSR5a_barcode</i> | | <i>Med 1: Scanned UPC med name: barcodes</i> |
|----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1573 | Present | Text suppressed |
| 75 | | Missing |

| <i>MSR5a_verbatim</i> | | <i>Med 1: Scanned UPC med name: verbatim</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1586 | Present | Text suppressed |
| 62 | | Missing |

| <i>MSR6a_gpi</i> | | <i>Med 2: Scanned UPC med name: gpi</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1561 | Present | Text suppressed |
| 87 | | Missing |

| <i>MSR6a_components</i> | | <i>Med 2: Scanned UPC med name: components</i> |
|-------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1561 | Present | Text suppressed |
| 87 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR6a_cas</i> | | <i>Med 2: Scanned UPC med name: cas</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1561 | null | |
| 87 | | Missing |

| <i>MSR6a_display_name</i> | | <i>Med 2: Scanned UPC med name: display_name</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1561 | Present | Text suppressed |
| 87 | | Missing |

| <i>MSR6a_vendor</i> | | <i>Med 2: Scanned UPC med name: vendor</i> |
|---------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1561 | Present | Text suppressed |
| 87 | | Missing |

| <i>MSR6a_name</i> | | <i>Med 2: Scanned UPC med name: name</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1561 | Present | Text suppressed |
| 87 | | Missing |

| <i>MSR6a_description</i> | | <i>Med 2: Scanned UPC med name: description</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1561 | Present | Text suppressed |
| 87 | | Missing |

| <i>MSR6a_ndc</i> | | <i>Med 2: Scanned UPC med name: ndc</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1561 | Present | Text suppressed |
| 87 | | Missing |

| <i>MSR6a_barcode</i> | | <i>Med 2: Scanned UPC med name: barcode</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1561 | Present | Text suppressed |
| 87 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR6a_verbatim</i> | | <i>Med 2: Scanned UPC med name: verbatim</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1569 | Present | Text suppressed |
| 79 | | Missing |

| <i>MSR7a_gpi</i> | | <i>Med 3: Scanned UPC med name: gpi</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1527 | Present | Text suppressed |
| 121 | | Missing |

| <i>MSR7a_components</i> | | <i>Med 3: Scanned UPC med name: components</i> |
|-------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1527 | Present | Text suppressed |
| 121 | | Missing |

| <i>MSR7a_cas</i> | | <i>Med 3: Scanned UPC med name: cas</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1527 | null | |
| 121 | | Missing |

| <i>MSR7a_display_name</i> | | <i>Med 3: Scanned UPC med name: display_name</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1527 | Present | Text suppressed |
| 121 | | Missing |

| <i>MSR7a_vendor</i> | | <i>Med 3: Scanned UPC med name: vendor</i> |
|---------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1527 | Present | Text suppressed |
| 121 | | Missing |

| <i>MSR7a_name</i> | | <i>Med 3: Scanned UPC med name: name</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1527 | Present | Text suppressed |
| 121 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR7a_description</i> | | <i>Med 3: Scanned UPC med name: description</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1527 | Present | Text suppressed |
| 121 | | Missing |

| <i>MSR7a_ndc</i> | | <i>Med 3: Scanned UPC med name: ndc</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1527 | Present | Text suppressed |
| 121 | | Missing |

| <i>MSR7a_barcode</i> | | <i>Med 3: Scanned UPC med name: barcodes</i> |
|----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1527 | Present | Text suppressed |
| 121 | | Missing |

| <i>MSR7a_verbatim</i> | | <i>Med 3: Scanned UPC med name: verbatim</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1540 | Present | Text suppressed |
| 108 | | Missing |

| <i>MSR8a_gpi</i> | | <i>Med 4: Scanned UPC med name: gpi</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1489 | Present | Text suppressed |
| 159 | | Missing |

| <i>MSR8a_components</i> | | <i>Med 4: Scanned UPC med name: components</i> |
|-------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1489 | Present | Text suppressed |
| 159 | | Missing |

| <i>MSR8a_cas</i> | | <i>Med 4: Scanned UPC med name: cas</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1489 | null | |
| 159 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR8a_display_name</i> | | <i>Med 4: Scanned UPC med name: display_name</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1489 | Present | Text suppressed |
| 159 | | Missing |

| <i>MSR8a_vendor</i> | | <i>Med 4: Scanned UPC med name: vendor</i> |
|---------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1489 | Present | Text suppressed |
| 159 | | Missing |

| <i>MSR8a_name</i> | | <i>Med 4: Scanned UPC med name: name</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1489 | Present | Text suppressed |
| 159 | | Missing |

| <i>MSR8a_description</i> | | <i>Med 4: Scanned UPC med name: description</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1489 | Present | Text suppressed |
| 159 | | Missing |

| <i>MSR8a_ndc</i> | | <i>Med 4: Scanned UPC med name: ndc</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1489 | Present | Text suppressed |
| 159 | | Missing |

| <i>MSR8a_barcode</i> | | <i>Med 4: Scanned UPC med name: barcodes</i> |
|----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1489 | Present | Text suppressed |
| 159 | | Missing |

| <i>MSR8a_verbatim</i> | | <i>Med 4: Scanned UPC med name: verbatim</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1495 | Present | Text suppressed |
| 153 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR9a_gpi</i> | | <i>Med 5: Scanned UPC med name: gpi</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1397 | Present | Text suppressed |
| 251 | | Missing |

| <i>MSR9a_components</i> | | <i>Med 5: Scanned UPC med name: components</i> |
|-------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1397 | Present | Text suppressed |
| 251 | | Missing |

| <i>MSR9a_cas</i> | | <i>Med 5: Scanned UPC med name: cas</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1397 | null | |
| 251 | | Missing |

| <i>MSR9a_display_name</i> | | <i>Med 5: Scanned UPC med name: display_name</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1397 | Present | Text suppressed |
| 251 | | Missing |

| <i>MSR9a_vendor</i> | | <i>Med 5: Scanned UPC med name: vendor</i> |
|---------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1397 | Present | Text suppressed |
| 251 | | Missing |

| <i>MSR9a_name</i> | | <i>Med 5: Scanned UPC med name: name</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1397 | Present | Text suppressed |
| 251 | | Missing |

| <i>MSR9a_description</i> | | <i>Med 5: Scanned UPC med name: description</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1397 | Present | Text suppressed |
| 251 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR9a_ndc</i> | | <i>Med 5: Scanned UPC med name: ndc</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1397 | Present | Text suppressed |
| 251 | | Missing |

| <i>MSR9a_barcode</i> | | <i>Med 5: Scanned UPC med name: barcodes</i> |
|----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1397 | Present | Text suppressed |
| 251 | | Missing |

| <i>MSR9a_verbatim</i> | | <i>Med 5: Scanned UPC med name: verbatim</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1411 | Present | Text suppressed |
| 237 | | Missing |

| <i>MSR10a_gpi</i> | | <i>Med 6: Scanned UPC med name: gpi</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1283 | Present | Text suppressed |
| 365 | | Missing |

| <i>MSR10a_components</i> | | <i>Med 6: Scanned UPC med name: components</i> |
|--------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1283 | Present | Text suppressed |
| 365 | | Missing |

| <i>MSR10a_cas</i> | | <i>Med 6: Scanned UPC med name: cas</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1283 | null | |
| 365 | | Missing |

| <i>MSR10a_display_name</i> | | <i>Med 6: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1283 | Present | Text suppressed |
| 365 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR10a_vendor</i> | | <i>Med 6: Scanned UPC med name: vendor</i> |
|----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1283 | Present | Text suppressed |
| 365 | | Missing |

| <i>MSR10a_name</i> | | <i>Med 6: Scanned UPC med name: name</i> |
|--------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1283 | Present | Text suppressed |
| 365 | | Missing |

| <i>MSR10a_description</i> | | <i>Med 6: Scanned UPC med name: description</i> |
|---------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1283 | Present | Text suppressed |
| 365 | | Missing |

| <i>MSR10a_ndc</i> | | <i>Med 6: Scanned UPC med name: ndc</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1283 | Present | Text suppressed |
| 365 | | Missing |

| <i>MSR10a_barcode</i> | | <i>Med 6: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1283 | Present | Text suppressed |
| 365 | | Missing |

| <i>MSR10a_verbatim</i> | | <i>Med 6: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1291 | Present | Text suppressed |
| 357 | | Missing |

| <i>MSR11a_gpi</i> | | <i>Med 7: Scanned UPC med name: gpi</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1194 | Present | Text suppressed |
| 454 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR11a_components</i> | | <i>Med 7: Scanned UPC med name: components</i> |
|--------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1194 | Present | Text suppressed |
| 454 | | Missing |

| <i>MSR11a_cas</i> | | <i>Med 7: Scanned UPC med name: cas</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1194 | null | |
| 454 | | Missing |

| <i>MSR11a_display_name</i> | | <i>Med 7: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1194 | Present | Text suppressed |
| 454 | | Missing |

| <i>MSR11a_vendor</i> | | <i>Med 7: Scanned UPC med name: vendor</i> |
|----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1194 | Present | Text suppressed |
| 454 | | Missing |

| <i>MSR11a_name</i> | | <i>Med 7: Scanned UPC med name: name</i> |
|--------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1194 | Present | Text suppressed |
| 454 | | Missing |

| <i>MSR11a_description</i> | | <i>Med 7: Scanned UPC med name: description</i> |
|---------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1194 | Present | Text suppressed |
| 454 | | Missing |

| <i>MSR11a_ndc</i> | | <i>Med 7: Scanned UPC med name: ndc</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1194 | Present | Text suppressed |
| 454 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR11a_barcode</i> | | <i>Med 7: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1194 | Present | Text suppressed |
| 454 | | Missing |

| <i>MSR11a_verbatim</i> | | <i>Med 7: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1206 | Present | Text suppressed |
| 442 | | Missing |

| <i>MSR12a_gpi</i> | | <i>Med 8: Scanned UPC med name: gpi</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1075 | Present | Text suppressed |
| 573 | | Missing |

| <i>MSR12a_components</i> | | <i>Med 8: Scanned UPC med name: components</i> |
|--------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1075 | Present | Text suppressed |
| 573 | | Missing |

| <i>MSR12a_cas</i> | | <i>Med 8: Scanned UPC med name: cas</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1075 | null | |
| 573 | | Missing |

| <i>MSR12a_display_name</i> | | <i>Med 8: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1075 | Present | Text suppressed |
| 573 | | Missing |

| <i>MSR12a_vendor</i> | | <i>Med 8: Scanned UPC med name: vendor</i> |
|----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1075 | Present | Text suppressed |
| 573 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR12a_name</i> | | <i>Med 8: Scanned UPC med name: name</i> |
|--------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1075 | Present | Text suppressed |
| 573 | | Missing |

| <i>MSR12a_description</i> | | <i>Med 8: Scanned UPC med name: description</i> |
|---------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1075 | Present | Text suppressed |
| 573 | | Missing |

| <i>MSR12a_ndc</i> | | <i>Med 8: Scanned UPC med name: ndc</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1075 | Present | Text suppressed |
| 573 | | Missing |

| <i>MSR12a_barcode</i> | | <i>Med 8: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1075 | Present | Text suppressed |
| 573 | | Missing |

| <i>MSR12a_verbatim</i> | | <i>Med 8: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1081 | Present | Text suppressed |
| 567 | | Missing |

| <i>MSR13a_gpi</i> | | <i>Med 9: Scanned UPC med name: gpi</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 922 | Present | Text suppressed |
| 726 | | Missing |

| <i>MSR13a_components</i> | | <i>Med 9: Scanned UPC med name: components</i> |
|--------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 922 | Present | Text suppressed |
| 726 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR13a_cas</i> | | <i>Med 9: Scanned UPC med name: cas</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 922 | null | |
| 726 | | Missing |

| <i>MSR13a_display_name</i> | | <i>Med 9: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 922 | Present | Text suppressed |
| 726 | | Missing |

| <i>MSR13a_vendor</i> | | <i>Med 9: Scanned UPC med name: vendor</i> |
|----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 922 | Present | Text suppressed |
| 726 | | Missing |

| <i>MSR13a_name</i> | | <i>Med 9: Scanned UPC med name: name</i> |
|--------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 922 | Present | Text suppressed |
| 726 | | Missing |

| <i>MSR13a_description</i> | | <i>Med 9: Scanned UPC med name: description</i> |
|---------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 922 | Present | Text suppressed |
| 726 | | Missing |

| <i>MSR13a_ndc</i> | | <i>Med 9: Scanned UPC med name: ndc</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 922 | Present | Text suppressed |
| 726 | | Missing |

| <i>MSR13a_barcode</i> | | <i>Med 9: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 922 | Present | Text suppressed |
| 726 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR13a_verbatim</i> | | <i>Med 9: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 928 | Present | Text suppressed |
| 720 | | Missing |

| <i>MSR14a_gpi</i> | | <i>Med 10: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 789 | Present | Text suppressed |
| 859 | | Missing |

| <i>MSR14a_components</i> | | <i>Med 10: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 789 | Present | Text suppressed |
| 859 | | Missing |

| <i>MSR14a_cas</i> | | <i>Med 10: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 789 | null | |
| 859 | | Missing |

| <i>MSR14a_display_name</i> | | <i>Med 10: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 789 | Present | Text suppressed |
| 859 | | Missing |

| <i>MSR14a_vendor</i> | | <i>Med 10: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 789 | Present | Text suppressed |
| 859 | | Missing |

| <i>MSR14a_name</i> | | <i>Med 10: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 789 | Present | Text suppressed |
| 859 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR14a_description</i> | | <i>Med 10: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 789 | Present | Text suppressed |
| 859 | | Missing |

| <i>MSR14a_ndc</i> | | <i>Med 10: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 789 | Present | Text suppressed |
| 859 | | Missing |

| <i>MSR14a_barcode</i> | | <i>Med 10: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 789 | Present | Text suppressed |
| 859 | | Missing |

| <i>MSR14a_verbatim</i> | | <i>Med 10: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 794 | Present | Text suppressed |
| 854 | | Missing |

| <i>MSR15a_gpi</i> | | <i>Med 11: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 679 | Present | Text suppressed |
| 969 | | Missing |

| <i>MSR15a_components</i> | | <i>Med 11: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 679 | Present | Text suppressed |
| 969 | | Missing |

| <i>MSR15a_cas</i> | | <i>Med 11: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 679 | null | |
| 969 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR15a_display_name</i> | | <i>Med 11: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 679 | Present | Text suppressed |
| 969 | | Missing |

| <i>MSR15a_vendor</i> | | <i>Med 11: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 679 | Present | Text suppressed |
| 969 | | Missing |

| <i>MSR15a_name</i> | | <i>Med 11: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 679 | Present | Text suppressed |
| 969 | | Missing |

| <i>MSR15a_description</i> | | <i>Med 11: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 679 | Present | Text suppressed |
| 969 | | Missing |

| <i>MSR15a_ndc</i> | | <i>Med 11: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 679 | Present | Text suppressed |
| 969 | | Missing |

| <i>MSR15a_barcode</i> | | <i>Med 11: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 679 | Present | Text suppressed |
| 969 | | Missing |

| <i>MSR15a_verbatim</i> | | <i>Med 11: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 687 | Present | Text suppressed |
| 961 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR16a_gpi</i> | | <i>Med 12: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 566 | Present | Text suppressed |
| 1082 | | Missing |

| <i>MSR16a_components</i> | | <i>Med 12: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 566 | Present | Text suppressed |
| 1082 | | Missing |

| <i>MSR16a_cas</i> | | <i>Med 12: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 566 | null | |
| 1082 | | Missing |

| <i>MSR16a_display_name</i> | | <i>Med 12: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 566 | Present | Text suppressed |
| 1082 | | Missing |

| <i>MSR16a_vendor</i> | | <i>Med 12: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 566 | Present | Text suppressed |
| 1082 | | Missing |

| <i>MSR16a_name</i> | | <i>Med 12: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 566 | Present | Text suppressed |
| 1082 | | Missing |

| <i>MSR16a_description</i> | | <i>Med 12: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 566 | Present | Text suppressed |
| 1082 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR16a_ndc</i> | | <i>Med 12: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 566 | Present | Text suppressed |
| 1082 | | Missing |

| <i>MSR16a_barcode</i> | | <i>Med 12: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 566 | Present | Text suppressed |
| 1082 | | Missing |

| <i>MSR16a_verbatim</i> | | <i>Med 12: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 566 | Present | Text suppressed |
| 1082 | | Missing |

| <i>MSR17a_gpi</i> | | <i>Med 13: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 443 | Present | Text suppressed |
| 1205 | | Missing |

| <i>MSR17a_components</i> | | <i>Med 13: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 443 | Present | Text suppressed |
| 1205 | | Missing |

| <i>MSR17a_cas</i> | | <i>Med 13: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 443 | null | |
| 1205 | | Missing |

| <i>MSR17a_display_name</i> | | <i>Med 13: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 443 | Present | Text suppressed |
| 1205 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR17a_vendor</i> | | <i>Med 13: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 443 | Present | Text suppressed |
| 1205 | | Missing |

| <i>MSR17a_name</i> | | <i>Med 13: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 443 | Present | Text suppressed |
| 1205 | | Missing |

| <i>MSR17a_description</i> | | <i>Med 13: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 443 | Present | Text suppressed |
| 1205 | | Missing |

| <i>MSR17a_ndc</i> | | <i>Med 13: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 443 | Present | Text suppressed |
| 1205 | | Missing |

| <i>MSR17a_barcode</i> | | <i>Med 13: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 443 | Present | Text suppressed |
| 1205 | | Missing |

| <i>MSR17a_verbatim</i> | | <i>Med 13: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 447 | Present | Text suppressed |
| 1201 | | Missing |

| <i>MSR18a_gpi</i> | | <i>Med 14: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 342 | Present | Text suppressed |
| 1306 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR18a_components</i> | | <i>Med 14: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 342 | Present | Text suppressed |
| 1306 | | Missing |

| <i>MSR18a_cas</i> | | <i>Med 14: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 342 | null | |
| 1306 | | Missing |

| <i>MSR18a_display_name</i> | | <i>Med 14: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 342 | Present | Text suppressed |
| 1306 | | Missing |

| <i>MSR18a_vendor</i> | | <i>Med 14: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 342 | Present | Text suppressed |
| 1306 | | Missing |

| <i>MSR18a_name</i> | | <i>Med 14: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 342 | Present | Text suppressed |
| 1306 | | Missing |

| <i>MSR18a_description</i> | | <i>Med 14: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 342 | Present | Text suppressed |
| 1306 | | Missing |

| <i>MSR18a_ndc</i> | | <i>Med 14: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 342 | Present | Text suppressed |
| 1306 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR18a_barcode</i> | | <i>Med 14: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 342 | Present | Text suppressed |
| 1306 | | Missing |

| <i>MSR18a_verbatim</i> | | <i>Med 14: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 343 | Present | Text suppressed |
| 1305 | | Missing |

| <i>MSR19a_gpi</i> | | <i>Med 15: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 282 | Present | Text suppressed |
| 1366 | | Missing |

| <i>MSR19a_components</i> | | <i>Med 15: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 282 | Present | Text suppressed |
| 1366 | | Missing |

| <i>MSR19a_cas</i> | | <i>Med 15: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 282 | null | |
| 1366 | | Missing |

| <i>MSR19a_display_name</i> | | <i>Med 15: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 282 | Present | Text suppressed |
| 1366 | | Missing |

| <i>MSR19a_vendor</i> | | <i>Med 15: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 282 | Present | Text suppressed |
| 1366 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR19a_name</i> | | <i>Med 15: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 282 | Present | Text suppressed |
| 1366 | | Missing |

| <i>MSR19a_description</i> | | <i>Med 15: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 282 | Present | Text suppressed |
| 1366 | | Missing |

| <i>MSR19a_ndc</i> | | <i>Med 15: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 282 | Present | Text suppressed |
| 1366 | | Missing |

| <i>MSR19a_barcode</i> | | <i>Med 15: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 282 | Present | Text suppressed |
| 1366 | | Missing |

| <i>MSR19a_verbatim</i> | | <i>Med 15: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 284 | Present | Text suppressed |
| 1364 | | Missing |

| <i>MSR20a_gpi</i> | | <i>Med 16: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 219 | Present | Text suppressed |
| 1429 | | Missing |

| <i>MSR20a_components</i> | | <i>Med 16: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 219 | Present | Text suppressed |
| 1429 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR20a_cas</i> | | <i>Med 16: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 219 | null | |
| 1429 | | Missing |

| <i>MSR20a_display_name</i> | | <i>Med 16: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 219 | Present | Text suppressed |
| 1429 | | Missing |

| <i>MSR20a_vendor</i> | | <i>Med 16: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 219 | Present | Text suppressed |
| 1429 | | Missing |

| <i>MSR20a_name</i> | | <i>Med 16: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 219 | Present | Text suppressed |
| 1429 | | Missing |

| <i>MSR20a_description</i> | | <i>Med 16: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 219 | Present | Text suppressed |
| 1429 | | Missing |

| <i>MSR20a_ndc</i> | | <i>Med 16: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 219 | Present | Text suppressed |
| 1429 | | Missing |

| <i>MSR20a_barcode</i> | | <i>Med 16: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 219 | Present | Text suppressed |
| 1429 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR20a_verbatim</i> | | <i>Med 16: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 219 | Present | Text suppressed |
| 1429 | | Missing |

| <i>MSR21a_gpi</i> | | <i>Med 17: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 169 | Present | Text suppressed |
| 1479 | | Missing |

| <i>MSR21a_components</i> | | <i>Med 17: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 169 | Present | Text suppressed |
| 1479 | | Missing |

| <i>MSR21a_cas</i> | | <i>Med 17: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 169 | null | |
| 1479 | | Missing |

| <i>MSR21a_display_name</i> | | <i>Med 17: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 169 | Present | Text suppressed |
| 1479 | | Missing |

| <i>MSR21a_vendor</i> | | <i>Med 17: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 169 | Present | Text suppressed |
| 1479 | | Missing |

| <i>MSR21a_name</i> | | <i>Med 17: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 169 | Present | Text suppressed |
| 1479 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR21a_description</i> | | <i>Med 17: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 169 | Present | Text suppressed |
| 1479 | | Missing |

| <i>MSR21a_ndc</i> | | <i>Med 17: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 169 | Present | Text suppressed |
| 1479 | | Missing |

| <i>MSR21a_barcode</i> | | <i>Med 17: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 169 | Present | Text suppressed |
| 1479 | | Missing |

| <i>MSR21a_verbatim</i> | | <i>Med 17: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 174 | Present | Text suppressed |
| 1474 | | Missing |

| <i>MSR22a_gpi</i> | | <i>Med 18: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 138 | Present | Text suppressed |
| 1510 | | Missing |

| <i>MSR22a_components</i> | | <i>Med 18: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 138 | Present | Text suppressed |
| 1510 | | Missing |

| <i>MSR22a_cas</i> | | <i>Med 18: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 138 | null | |
| 1510 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR22a_display_name</i> | | <i>Med 18: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 138 | Present | Text suppressed |
| 1510 | | Missing |

| <i>MSR22a_vendor</i> | | <i>Med 18: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 138 | Present | Text suppressed |
| 1510 | | Missing |

| <i>MSR22a_name</i> | | <i>Med 18: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 138 | Present | Text suppressed |
| 1510 | | Missing |

| <i>MSR22a_description</i> | | <i>Med 18: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 138 | Present | Text suppressed |
| 1510 | | Missing |

| <i>MSR22a_ndc</i> | | <i>Med 18: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 138 | Present | Text suppressed |
| 1510 | | Missing |

| <i>MSR22a_barcode</i> | | <i>Med 18: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 138 | Present | Text suppressed |
| 1510 | | Missing |

| <i>MSR22a_verbatim</i> | | <i>Med 18: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 138 | Present | Text suppressed |
| 1510 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR23a_gpi</i> | | <i>Med 19: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 103 | Present | Text suppressed |
| 1545 | | Missing |

| <i>MSR23a_components</i> | | <i>Med 19: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 103 | Present | Text suppressed |
| 1545 | | Missing |

| <i>MSR23a_cas</i> | | <i>Med 19: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 103 | null | |
| 1545 | | Missing |

| <i>MSR23a_display_name</i> | | <i>Med 19: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 103 | Present | Text suppressed |
| 1545 | | Missing |

| <i>MSR23a_vendor</i> | | <i>Med 19: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 103 | Present | Text suppressed |
| 1545 | | Missing |

| <i>MSR23a_name</i> | | <i>Med 19: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 103 | Present | Text suppressed |
| 1545 | | Missing |

| <i>MSR23a_description</i> | | <i>Med 19: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 103 | Present | Text suppressed |
| 1545 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR23a_ndc</i> | | <i>Med 19: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 103 | Present | Text suppressed |
| 1545 | | Missing |

| <i>MSR23a_barcode</i> | | <i>Med 19: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 103 | Present | Text suppressed |
| 1545 | | Missing |

| <i>MSR23a_verbatim</i> | | <i>Med 19: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 104 | Present | Text suppressed |
| 1544 | | Missing |

| <i>MSR24a_gpi</i> | | <i>Med 20: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 78 | Present | Text suppressed |
| 1570 | | Missing |

| <i>MSR24a_components</i> | | <i>Med 20: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 78 | Present | Text suppressed |
| 1570 | | Missing |

| <i>MSR24a_cas</i> | | <i>Med 20: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 78 | null | |
| 1570 | | Missing |

| <i>MSR24a_display_name</i> | | <i>Med 20: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 78 | Present | Text suppressed |
| 1570 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR24a_vendor</i> | | <i>Med 20: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 78 | Present | Text suppressed |
| 1570 | | Missing |

| <i>MSR24a_name</i> | | <i>Med 20: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 78 | Present | Text suppressed |
| 1570 | | Missing |

| <i>MSR24a_description</i> | | <i>Med 20: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 78 | Present | Text suppressed |
| 1570 | | Missing |

| <i>MSR24a_ndc</i> | | <i>Med 20: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 78 | Present | Text suppressed |
| 1570 | | Missing |

| <i>MSR24a_barcode</i> | | <i>Med 20: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 78 | Present | Text suppressed |
| 1570 | | Missing |

| <i>MSR24a_verbatim</i> | | <i>Med 20: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 79 | Present | Text suppressed |
| 1569 | | Missing |

| <i>MSR25a_gpi</i> | | <i>Med 21: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 62 | Present | Text suppressed |
| 1586 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR25a_components</i> | | <i>Med 21: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 62 | Present | Text suppressed |
| 1586 | | Missing |

| <i>MSR25a_cas</i> | | <i>Med 21: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 62 | null | |
| 1586 | | Missing |

| <i>MSR25a_display_name</i> | | <i>Med 21: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 62 | Present | Text suppressed |
| 1586 | | Missing |

| <i>MSR25a_vendor</i> | | <i>Med 21: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 62 | Present | Text suppressed |
| 1586 | | Missing |

| <i>MSR25a_name</i> | | <i>Med 21: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 62 | Present | Text suppressed |
| 1586 | | Missing |

| <i>MSR25a_description</i> | | <i>Med 21: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 62 | Present | Text suppressed |
| 1586 | | Missing |

| <i>MSR25a_ndc</i> | | <i>Med 21: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 62 | Present | Text suppressed |
| 1586 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR25a_barcode</i> | | <i>Med 21: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 62 | Present | Text suppressed |
| 1586 | | Missing |

| <i>MSR25a_verbatim</i> | | <i>Med 21: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 62 | Present | Text suppressed |
| 1586 | | Missing |

| <i>MSR26a_gpi</i> | | <i>Med 22: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 45 | Present | Text suppressed |
| 1603 | | Missing |

| <i>MSR26a_components</i> | | <i>Med 22: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 45 | Present | Text suppressed |
| 1603 | | Missing |

| <i>MSR26a_cas</i> | | <i>Med 22: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 45 | null | |
| 1603 | | Missing |

| <i>MSR26a_display_name</i> | | <i>Med 22: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 45 | Present | Text suppressed |
| 1603 | | Missing |

| <i>MSR26a_vendor</i> | | <i>Med 22: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 45 | Present | Text suppressed |
| 1603 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR26a_name</i> | | <i>Med 22: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 45 | Present | Text suppressed |
| 1603 | | Missing |

| <i>MSR26a_description</i> | | <i>Med 22: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 45 | Present | Text suppressed |
| 1603 | | Missing |

| <i>MSR26a_ndc</i> | | <i>Med 22: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 45 | Present | Text suppressed |
| 1603 | | Missing |

| <i>MSR26a_barcode</i> | | <i>Med 22: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 45 | Present | Text suppressed |
| 1603 | | Missing |

| <i>MSR26a_verbatim</i> | | <i>Med 22: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 47 | Present | Text suppressed |
| 1601 | | Missing |

| <i>MSR27a_gpi</i> | | <i>Med 23: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | Present | Text suppressed |
| 1615 | | Missing |

| <i>MSR27a_components</i> | | <i>Med 23: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | Present | Text suppressed |
| 1615 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR27a_cas</i> | | <i>Med 23: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | null | |
| 1615 | | Missing |

| <i>MSR27a_display_name</i> | | <i>Med 23: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | Present | Text suppressed |
| 1615 | | Missing |

| <i>MSR27a_vendor</i> | | <i>Med 23: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | Present | Text suppressed |
| 1615 | | Missing |

| <i>MSR27a_name</i> | | <i>Med 23: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | Present | Text suppressed |
| 1615 | | Missing |

| <i>MSR27a_description</i> | | <i>Med 23: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | Present | Text suppressed |
| 1615 | | Missing |

| <i>MSR27a_ndc</i> | | <i>Med 23: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | Present | Text suppressed |
| 1615 | | Missing |

| <i>MSR27a_barcode</i> | | <i>Med 23: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | Present | Text suppressed |
| 1615 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR27a_verbatim</i> | | <i>Med 23: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 33 | Present | Text suppressed |
| 1615 | | Missing |

| <i>MSR28a_gpi</i> | | <i>Med 24: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | Present | Text suppressed |
| 1625 | | Missing |

| <i>MSR28a_components</i> | | <i>Med 24: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | Present | Text suppressed |
| 1625 | | Missing |

| <i>MSR28a_cas</i> | | <i>Med 24: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | null | |
| 1625 | | Missing |

| <i>MSR28a_display_name</i> | | <i>Med 24: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | Present | Text suppressed |
| 1625 | | Missing |

| <i>MSR28a_vendor</i> | | <i>Med 24: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | Present | Text suppressed |
| 1625 | | Missing |

| <i>MSR28a_name</i> | | <i>Med 24: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | Present | Text suppressed |
| 1625 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR28a_description</i> | | <i>Med 24: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | Present | Text suppressed |
| 1625 | | Missing |

| <i>MSR28a_ndc</i> | | <i>Med 24: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | Present | Text suppressed |
| 1625 | | Missing |

| <i>MSR28a_barcode</i> | | <i>Med 24: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | Present | Text suppressed |
| 1625 | | Missing |

| <i>MSR28a_verbatim</i> | | <i>Med 24: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | Present | Text suppressed |
| 1625 | | Missing |

| <i>MSR29a_gpi</i> | | <i>Med 25: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 1628 | | Missing |

| <i>MSR29a_components</i> | | <i>Med 25: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 1628 | | Missing |

| <i>MSR29a_cas</i> | | <i>Med 25: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | null | |
| 1628 | | Missing |

Section 3: V10 / NCS Forms

| <i>MSR29a_display_name</i> | | <i>Med 25: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 1628 | | Missing |

| <i>MSR29a_vendor</i> | | <i>Med 25: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 1628 | | Missing |

| <i>MSR29a_name</i> | | <i>Med 25: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 1628 | | Missing |

| <i>MSR29a_description</i> | | <i>Med 25: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 1628 | | Missing |

| <i>MSR29a_ndc</i> | | <i>Med 25: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 1628 | | Missing |

| <i>MSR29a_barcode</i> | | <i>Med 25: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 1628 | | Missing |

| <i>MSR29a_verbatim</i> | | <i>Med 25: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 1628 | | Missing |

Section 3: V10 / NCS Forms

| <i>VisitFormStatus_MSR</i> | | <i>Form Status at Visit</i> |
|----------------------------|--------------|-----------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 16 | Form Missing | |
| 1632 | Present | |

| <i>MSR0A_FollowUpDays</i> | | <i>Days of follow up from visit 1 to Completion date</i> |
|---------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1632 | Range | 12013 - 13474 (median=12684.5 mean=12718.25 std=311.31) |
| 16 | | Missing |

| <i>MSR0A_year</i> | | <i>Year of Completion date</i> |
|-------------------|--------------|--------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1632 | 2023 | |
| 16 | | Missing |

| <i>MSR32B_FollowUpDays</i> | | <i>Days of follow up from visit 1 to Scanning/transcription date</i> |
|----------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1601 | Range | 12013 - 13474 (median=12681 mean=12716.1 std=310.1) |
| 28 | .S | Legitimately skipped |
| 19 | | Missing |

| <i>MSR32B_year</i> | | <i>Year of Scanning/transcription date</i> |
|--------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | 2022 | |
| 1598 | 2023 | |
| 2 | 2024 | |
| 28 | .S | Legitimately skipped |
| 19 | | Missing |