Neurological History: FORM CODE=NHX VERSION=1.0 2.0

 $\underline{\textbf{Instructions:}} \ \textbf{This form records the presence of neurocognitive conditions in the participant.}$

	Vers	Vers
N	Value	Description
105	0100	
2852	0200	

	Occurrence	Occurrence
N	Value	Description
2949	1	
7	2	
1	3	

	NHX0b	Staff ID
N	Value	Description
2914	Present	Text suppressed
43		Missing

	NHX1	Informed of Parkinson's disease by doctor
N	Value	Description
7	D	Don't know
2866	N	No
41	Υ	Yes
43		Missing

	NHX1a	Age when told of Parkinson's disease
N	Value	Description
39	Range	59 - 86 (median=75 mean=74.1 std=6.6)
2873	.S	Legitimately skipped
45		Missing

	NHX2	Loss of consciousness due to head injury
N	Value	Description
47	D	Don't know
2444	N	No
423	Υ	Yes
43		Missing

	NHX2a	Extended loss of consciousness due to head injury (>5 min)
N	Value	Description
93	D	Don't know
197	N	No
127	Υ	Yes
2491	~	Legitimately skipped
49		Missing

	NHX2b	Long-term problems/dysfunction due to head injury
N	Value	Description
16	D	Don't know
372	N	No
35	Υ	Yes
2491	~	Legitimately skipped
43		Missing

	NHX3	Seizure or convulsion
N	Value	Description
21	D	Don't know
2795	N	No
98	Υ	Yes
43		Missing

	NHX3a	Number of seizures or convulsions
N	Value	Description
79	Range	1 - 56 (median=1 mean=3.7 std=8.4)
2817	.S	Legitimately skipped
61		Missing

	NHX3b	Age when first seizure occurred
N	Value	Description
86	Range	1 - 84 (median=33.5 mean=38.01 std=27.19)
2817	.S	Legitimately skipped
54		Missing

	NHX3c	Age when last seizure occurred
N	Value	Description
46	Range	3 - 88 (median=55 mean=47.5 std=28.8)
2861	.S	Legitimately skipped
50		Missing

	NHX3d	Treated with anti-seizure medications
N	Value	Description
4	D	Don't know
51	N	No
42	Υ	Yes
2817	~	Legitimately skipped
43		Missing

	NHX3e	Age when started anti-seizure medications
N	Value	Description
41	Range	2 - 86 (median=60 mean=52.0 std=24.0)
2872	.S	Legitimately skipped
44		Missing

	NHX4	Informed of other neuro disorders by doctor (MS, brain tumor, dementia, AD)
N	Value	Description
13	D	Don't know
2555	N	No
344	Υ	Yes
45		Missing

	NHX4a	Multiple Sclerosis
N	Value	Description
340	N	No
3	Υ	Yes
2571	~	Legitimately skipped
43		Missing

	NHX4a1	Multiple Sclerosis Age at diagnosis
N	Value	Description
3	Range	8 - 50 (median=26 mean=28.0 std=21.1)
2911	.S	Legitimately skipped
43		Missing

	NHX4b	Brain tumor
N	Value	Description
319	N	No
24	Υ	Yes
2571	~	Legitimately skipped
43		Missing

	NHX4b1	Brain tumor Age at diagnosis
N	Value	Description
22	Range	29 - 83 (median=66 mean=61.0 std=14.5)
2890	.S	Legitimately skipped
45		Missing

	NHX4c	Dementia, Alzheimer's, senility, or hardening of brain's arteries
N	Value	Description
270	N	No
71	Υ	Yes
2571	~	Legitimately skipped
45		Missing

	NHX4c1	Dementia Age at diagnosis
N	Value	Description
66	Range	1 - 87 (median=76.5 mean=74.44 std=13.59)
2843	.S	Legitimately skipped
48		Missing

NHX5		Surgery or radiation therapy of skull or brain
N	Value	Description
7	D	Don't know
2831	N	No
76	Υ	Yes
43		Missing

	NHX5a	Surgery involving skull or brain
N	Value	Description
1	D	Don't know
8	N	No
66	Υ	Yes
2839	~	Legitimately skipped
43		Missing

	NHX5b	Radiation involving skull or brain
N	Value	Description
1	D	Don't know
58	N	No
16	Υ	Yes
2839	~	Legitimately skipped
43		Missing

	NHX6	Depression diagnosis (ever)
N	Value	Description
12	D	Don't know
2467	N	No
434	Υ	Yes
44		Missing

	NHX6a	Depression diagnosis (past 2 yrs)
N	Value	Description
2	D	Don't know
244	N	No
188	Υ	Yes
2480	~	Legitimately skipped
43		Missing

	NHX6b	Depression diagnosis (prior to 2 yrs ago)
N	Value	Description
5	D	Don't know
85	N	No
344	Υ	Yes
2480	~	Legitimately skipped
43		Missing

	NHX6c	Treatment for depression
N	Value	Description
34	N	No
400	Υ	Yes
2480	~	Legitimately skipped
43		Missing

	NHX7	Memory problems
N	Value	Description
21	D	Don't know
1770	N	No
1118	Υ	Yes
48		Missing

	NHX8	Vision normal without glasses or contacts
N	Value	Description
6	D	Don't know
1974	N	No
931	Υ	Yes
46		Missing

	NHX9	Usually wear glasses or contact lenses
N	Value	Description
2	D	Don't know
647	N	No
2262	Υ	Yes
46		Missing

	NHX9a	Vision normal with glasses or contacts
N	Value	Description
10	D	Don't know
290	N	No
1934	Υ	Yes
679	~	Legitimately skipped
44		Missing

	NHX10	Hearing normal without aid
N	Value	Description
20	D	Don't know
1095	N	No
1794	Υ	Yes
48		Missing

	NHX11	Wear hearing aid
N	Value	Description
1	D	Don't know
2499	N	No
409	Υ	Yes
48		Missing

	NHX11a	Hearing normal with aid
N	Value	Description
1	D	Don't know
119	N	No
286	Υ	Yes
2507	~	Legitimately skipped
44		Missing

	NHX12	Sleepy most of the day
N	Value	Description
12	D	Don't know
2558	N	No
336	Υ	Yes
51		Missing

NHX13		Days Dozing Off
N	Value	Description
2882	Range	0 - 45 (median=1 mean=6.1 std=9.6)
75		Missing

	NHX14	Sleepy most of the day
N	Value	Description
36	D	Don't know
2531	N	No
336	Υ	Yes
54		Missing

	NHX14a	How often sleepy most of the day
N	Value	Description
87	1	Less that three times in total
92	2	Less than once a month
64	3	1-3 times a month
19	4	Once a week
36	5	More than once per week
37	D	Don't know
2578	~	Legitimately skipped
44		Missing

	NHX14b	Age when sleepy started
N	Value	Description
265	Range	0 - 88 (median=62 mean=54.6 std=24.4)
2578	.S	Legitimately skipped
114		Missing

NHX15		Shaking in Limbs
N	Value	Description
11	D	Don't know
2575	N	No
324	Υ	Yes
47		Missing

	NHX15a	Age when shaking started
N	Value	Description
302	Range	0 - 89 (median=72 mean=66.7 std=18.1)
2593	.S	Legitimately skipped
62		Missing

NHX16		Smaller hand writing
N	Value	Description
74	D	Don't know
2363	N	No
468	Υ	Yes
52		Missing

	NHX4d	Stroke or cerebrovascular accident
N	Value	Description
90	N	No
248	Υ	Yes
2469	~	Legitimately skipped
150		Missing

	NHX4d1	Stroke or cerebrovascular Age at diagnosis
N	Value	Description
231	Range	26 - 89 (median=70 mean=69.9 std=9.9)
2563	.S	Legitimately skipped
163		Missing

NHX0.	A_FollowUpDays	Days of follow up from visit 1 to Completion date
N	Value	Description
2914	Range	8027 - 9785 (median=8829.5 mean=8847.04 std=365.93)
43		Missing

NHX0A_year		Year of Completion date
N	Value	Description
313	2011	
1375	2012	
1226	2013	
43		Missing